PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL

OF PLANT BIOCHEMISTRY

Editor-in-Chief
J. B. HARBORNE F.R.S.

Associate Editor (North America)
N. G. LEWIS

Executive Editor
T. A. SMITH

Volume 38 Contents, Author Index and
Subject Index 1995

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry

Editor-in-Chief

J. B. HARBORNE F.R.S.: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

Associate Editors

L. J. GOAD: Dept of Biochemistry, Liverpool University, Liverpool L69 3BX, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept of Applied Biology, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Production Editor

M. R. MALIN: Journals Production Dept, Research Journals, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

EDITORIAL BOARD—1995

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Dept of Biochemistry, King's College, Strand, London WC2R 2LS, U.K.
E. G. Brown:	Dept of Biochemistry, University College of Swansea, Singleton Park SA2 8PP, U.K.
E. E. Conn:	Dept of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C. Canada V6T 1Z4.
N. H. Fischer:	Dept of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
T. W. Goodwin:	9 Woodlands Close, Parkgate, S. Wirral, Cheshire L64 6RU, U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
V. Herout:	Dept of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czech Republic.
W. Herz:	Dept of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
M. Luckner:	Sektion Pharmazie, Universität Halle (Saale), Germany.
T. J. Mabry:	Dept of Botany, University of Texas at Austin, TX 78713, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of N.S.W., P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Okayama University of Sciences, Tsushima, Okayama 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
T. ap Rees:	Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K.
U. Sankawa:	Faculty of Pharmaceutical Sciences, University of Tokyo, Hongo 7-3-1, Bunkyo-ku, Tokyo 113, Japan.
J. Tempe:	Institut des Sciences Végétales, CNRS, 91198-Gif sur Yvette and Institut National Agronomique Paris-Grignon, 75231-Paris, France.
G. H. N. Towers:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 35, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published monthly plus additional issues in January, March, May, July, September and November (three volumes 1995).

Institutional Subscription Rates (1995): North, Central and South America, U.S.$1766.00, Rest of World, £1185.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and from the rest of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Microform Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

Copyright © 1995 Elsevier Science Ltd

Second class postage paid at NEWARK NJ and additional Mailing Offices. Postmaster send address corrections to *Phytochemistry*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Front cover illustration: Leaves and arils of *Taxus baccata*.

CONTENTS OF VOLUME 38

Number 1

Announcements	ix	
Growth and Metabolism		
3-Epigibberellin A_1: natural occurrence in plants and artefactual formation from gibberellin A_1	1	P. Gaskin, J. Macmillan, C. R. Spray, Y. Suzuki and B. O. Phinney
The tryptophan content of pearl millet grains as a function of nitrogen content	5	J. Landry and S. Delhaye
Metabolism of elemental sulphur and oxidation of sulphite by wheat and spinach chloroplasts	9	P. Jolivet, E. Bergeron, A. Zimierski and J.-C. Meunier
Target molecular size suggesting a dimeric structure for the red beet plasma membrane Ca^{2+}-ATPase	15	S. Basu and D. P. Briskin
Effects of cinnamic acid derivatives on indole acetic acid oxidation by peroxidase	19	R. Volpert, W. Osswald and E. F. Elstner
Amino oxidase from *Trigonella foenum-graecum* seedlings	23	L. Luhová, L. Slavík, I. Frébort, M. Halata and P. Peč
Molecular and enzymatic properties of an aspartic proteinase from *Rhizopus hangchow*	27	E. Ichishima, M. Ojima, Y. Yamagata, S. Hanzawa and T. Nakamura
Comparison of fatty acid epoxide hydrolase activity in seeds from different plant species	31	A. Stark, A.-K. Lundholm and J. Meijer
Compartmentalization of phenolic constituents in *Sphagnum*	35	S. Rasmussen, C. Wolff and H. Rudolph
Ecological Biochemistry		
Elicitin produced by an isolate of *Phytophthora parasitica* pathogenic to tobacco	41	F. Mouton-Perronnet, M. Bruneteau, L. Denoroy, P. Bouliteau, P. Ricci, Ph. Bonnet and G. Michel
Epicuticular waxes of two Arctic species: compositional differences in relation to winter snow cover	45	G. Rieley, J. M. Welker, T. V. Callaghan and G. Eglinton
Identification of a yellow pigment formed in maize roots upon mycorrhizal colonization	53	A. Klingner, H. Bothe, V. Wray and F.-J. Marner
Dibenzofuran phytoalexins from the sapwood of *Cotoneaster acutifolius* and five related species	57	T. Kokubun, J. B. Harborne, J. Eagles and P. G. Waterman
Biosynthesis		
Biosynthesis of nebularine (purine 9-β-D-ribofuranoside) involves enzymic release of hydroxylamine from adenosine	61	E. G. Brown and M. Konuk
The incubation of 3α,16β-dihydroxyaphidicolane with *Cephalosporium aphidicola*	73	J. R. Hanson, A. G. Jarvis, F. Laboret and J. Takahashi
Formation of aromatic intermediates in the biosynthesis of bitter acids in *Humulus lupulus*	77	K. W. M. Zuurbier, Suen-Ying Fung, J. J. C. Scheffer and R. Verpoorte
Biosynthesis of shikonin derivatives from L-phenylalanine via deoxyshikonin in *Lithospermum* cell cultures and cell-free extracts	83	T. Okamoto, K. Yazaki and M. Tabata
Cell Culture and Biotechnology		
Separation and characterization of cytokinin-inducible (*S*)-tetrahydroberberine oxidases controlling berberine biosynthesis in *Thalictrum minus* cell cultures	89	M. Hara, H. Morio, K. Yazaki, S. Tanaka and M. Tabata

Mannan glycopeptide elicits *p*-coumaroylamino acids in *Ephedra distachya* cultures	95	K.-S. Song, M. Tomoda, N. Shimizu, U. Sankawa and Y. Ebizuka
An iridoid diester from *Valeriana officinalis* var. *sambucifolia* hairy roots	103	F. Gränicher, P. Christen, P. Kamalaprija and U. Burger
Novel anthraquinones from undifferentiated cell cultures of *Galium verum*	107	D. V. Banthorpe and J. J. White
Alkaloids from *Ceratocapnos heterocarpa* plants and *in vitro* cultures	113	M. Valpuesta, N. Posadas, I. Ruiz, M. V. Silva, A. I. Gomez, R. Suau, B. Perez, F. Pliego and B. Cabezudo
Chemotaxonomy		
Epi-neoverrucosane- and *ent*-clerodane-type diterpenoids and *ent*-2,3-secoaromadendrane- and calamenene-type sesquiterpenoids from the liverwort *Heteroscyphus planus*	119	T. Hashimoto, I. Nakamura, M. Tori, S. Takaoka and Y. Asakawa
Analysis of flavonol glycosides of thirteen *Epilobium* species (Onagraceae) by LC-UV and thermospray LC-MS	129	B. Ducrey, J. L. Wolfender, A. Marston and K. Hostettmann
Patterns of quinolizidine alkaloids in 56 species of the genus *Lupinus*	139	M. Wink, C. Meißner and L. Witte
Plant Chemistry		
Cytotoxic metabolites from a fungal adherent of a marine alga	155	C. Takahashi, Y. Takai, Y. Kimura, A. Numata, N. Shigematsu and H. Tanaka
Eudesmanolides from *Achillea pratensis*	159	S. Glasl, U. Kastner, A. Baumann, W. Robien, J. Jurenitsch and W. Kubelka
Lantanoside, a monocyclic C_{10} iridoid glucoside from *Viburnum lantana*	163	İ. Calış, A. Yürüker, H. Rüegger, A. D. Wright and O. Sticher
An antimicrobial abietane from the root of *Plectranthus hereroensis*	167	O. Batista, M. F. Simões, A. Duarte, M. L. Valdeira, M. C. de la Torre and B. Rogríguez
Clerodane diterpenoids from *Salvia urolepis*	171	A. A. Sanchez, B. Esquivel, T. P. Ramamoorthy and L. Rodriguez-Hahn
Neo-clerodane diterpenoids from *Scutellaria drummondii*	175	B. Esquival, E. Flores, S. Hernández-Ortega and R. A. Toscano
Neo-clerodane diterpenoids from *Scutellaria alpina*	181	M. C. de la Torre, B. Rodríguez, M. Bruno, F. Piozzi, G. Savona, N. Vassallo and O. Servettaz
Clerodane and *ent*-halimane diterpenes from *Polyalthia longifolia*	189	N. Hara, H. Asaki, Y. Fujimoto, Y. K. Gupta, A. K. Singh and M. Sahai
The absolute configuration of coleon A: a *seco* diterpenoid pigment from *Coleus* spp.	195	R. L. Baxter, A. J. Blake and R. O. Gould
Abietane and icetexane diterpenoids form *Salvia candicans*	199	J. Cárdenas and L. Rodríguez-Hahn
Pentacyclic triterpenoids from *Mimusops elengi*	205	S. Sen, N. P. Sahu and S. B. Mahato
Quinovic acid glycosides from *Nauclea diderrichii*	209	M. Lamidi, E. Ollivier, R. Faure, L. Debrauwer, L. Nze-Ekekang and G. Balansard
Perforatinolone, a limonoid from *Harrisonia perforata*	213	T. V. Sung, N. M. Phuong, C. Kamperdick and G. Adam

Fagaropsine, a degraded limonoid glucoside from *Fagaropsis glabra*	217	J. Boustie, M.-J. Respaud, G. Moulis, C. Lavaud, J. Gleye and I. Fourasté
Triterpenoid saponins from *Verbascum songaricum*	221	I. Hartleb and K. Seifert
Triterpenoid saponins from the root of *Sideroxylon foetidissimum*	225	G. Nicolas, A. Oulad-Ali, D. Guillaume, A. Lobstein, B. Weniger and R. Anton
A saponin conjugated with 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one from *Dolichos lablab*	229	Y. Yoshiki, J. H. Kim, K. Okubo, I. Nagoya, T. Sakabe and N. Tamura
Three prenylated phenolic benzophenones from *Garcinia myrtifolia*	233	C. Spino, J. Lal, S. Sotheeswaran and W. Aalbersberg
The structure and synthesis of the first dimeric proteracacinidins from *Acacia galpinii*	237	E. Malan and A. Sireeparsad
Kadsulignans L–N, three dibenzocyclooctadiene lignans from *Kadsura coccinea*	241	Jia-Sen Liu and Liang Li
Three xanthones from root bark of *Garcinia subelliptica*	247	M. Iinuma, H. Tosa, T. Tanaka, F. Asai and R. Shimano
Prenylated flavanones from *Sorocea ilicifolia*	251	F. Ferrari and I. Messana
Flavonoids and chromenes from *Artemisia annua*	255	Shi-Lin Yang, M. F. Roberts, M. J. O'Neill, F. Bucar and J. D. Phillipson
The revised structure of two flavonol 3- and 4′-monoglucosides from *Erica cinerea*	259	B. Bennini, A. J. Chulia and M. Kaouadji
Flavonol glycosides from *Epimedium koreanum*	263	Wen-Kui Li, Pei-Gen Xiao, Guang-Zhong Tu, Li-Bin Ma and Ru-Yi Zhang
A biologically active lipophilic flavonol from *Tanacetum parthenium*	267	C. A. Williams, J. R. S. Hoult, J. B. Harborne, J. Greenham and J. Eagles
An *N*-formyl cyclopeptide alkaloid from *Zizyphus nummularia* bark	271	B. Singh and V. B. Pandey
Short Reports		
An ursane diol from the leaves of *Pristimera grahamii*	275	E. Sukumar, K. Balakrishna, R. B. Rao and A. B. Kundu
Dioclein, a flavanone from the roots of *Dioclea grandiflora*	277	J. Bhattacharyya, J. S. Batista and R. N. Almeida
Book Reviews		
Dictionary of Natural Products: edited by J. Buckingham (with 15 others)	279	J. B. Harborne
Chemotaxonomie der Pflanzen, Volume 11a, Leguminosae: by R. Hegnauer and M. Hegnauer	280	J. B. Harborne
Concise Encyclopedia Chemistry: translated and revised by Mary Eagleson	280	J. B. Harborne

Number 2

Announcements	ix	
Growth and Metabolism		
Purification of a lectin from *Parkia javanica* beans	281	P. Utarabhand and P. Akkayanont
Synthesis of *enantio*-manoyl oxides: modifiers of the activity of adenylatecyclase enzyme	287	A. García-Granados, E. Liñán, A. Martínez, M. E. Onorato, A. Parra and J. M. Arias

Purification and characterization of *Opuntia* peroxidase — 295 — A. Padiglia, E. Cruciani, G. Pazzaglia, R. Medda and G. Floris

Purification and characterization of emodinanthrone oxygenase from *Aspergillus terreus* — 299 — Zhi-Gang Chen, I. Fujii, Y. Ebizuka and U. Sankawa

Inhibition of signal-regulated protein kinases by plant-derived hydrolysable tannins — 307 — G. M. Polya, Bing Hui Wang and L. Y. Foo

A novel protein from mung bean hypocotyl cell walls with acetyl esterase activity — 315 — M. Bordenave, R. Goldberg, J. C. Huet and J. C. Pernollet

Purification and properties of the soluble acid invertase from *Oryza sativa* — 321 — M. I. Isla, G. Salerno, H. Pontis, M. A. Vattuone and A. R. Sampietro

Isolation of dihydrofolate and folylpolyglutamate synthetase activities from *Neurospora* — 327 — D. Mcdonald, I. J. Atkinson, E. A. Cossins and B. Shane

Effects of pyrogallol on *O*-methylation of dopamine and salsolinol — 335 — K. Iwasa, Y. Kondoh, M. Kamigauchi, D. U. Lee, U. Tanner and W. Wiegrebe

Biotransformation of an acyclic neolignan in rats — 343 — H. Kasahara, M. Miyazawa and H. Kameoka

Ecological Biochemistry

Selective induction of glucosinolates in oilseed rape leaves by methyl jasmonate — 347 — K. J. Doughty, G. A. Kiddle, B. J. Pye, R. M. Wallsgrove and J. A. Pickett

Antifungal terpenoids produced by cypress after infection by *Diplodia pinea* f. sp. *cupressi* — 351 — Z. Madar, H. E. Gottlieb, M. Cojocaru, J. Riov, Z. Solel and A. Sztejnberg

Pyrrolizidine alkaloids from *Heliotropium bovei* — 355 — M. Reina, A. H. Mericli, R. Cabrera and A. González-Coloma

Cell Culture and Biotechnology

Gibberellin metabolism in suspension cultured cells of *Raphanus sativus* — 359 — M. Koshioka, T. Nishijima, H. Yamazaki and L. N. Mander

Isolation and metabolism of 3′-hydroxy-γ-ionylideneacetic acids in *Cercospora cruenta* — 365 — H. Yamamoto, T. Oritani, T. Morita and A. Tanaka

Phenolic and polyketide metabolites of the aspen blue stain fungus *Ophiostoma crassivaginata* — 371 — W. A. Ayer and L. S. Trifonov

Rapid metabolism of isoflavonoids in elicitor-treated cell suspension cultures of *Pueraria lobata* — 373 — H.-H. Park, T. Hakamatsuka, U. Sankawa and Y. Ebizuka

Chemotaxonomy

Essential oils of *Baccharis salicifolia*, *B. latifolia* and *B. dracunculifolia* — 381 — I. Loayza, D. Abujder, R. Aranda, J. Jakupovic, G. Collin, H. Deslauriers and F.-I. Jean

Chemical polymorphism of the essential oil of *Thymus carnosus* from Portugal — 391 — L. Salgueiro, R. Vila, X. Tomas, F. Tomi, S. Cañigueral, J. Casanova, A. Proença da Cunha and T. Adzet

Limonoids from seeds of *Toona ciliata* and their chemosystematic significance — 397 — J. O. Neto, S. M. M. Agostinho, M. F. Das G. F. Da Silva, P. C. Vieira, J. B. Fernandes, A. L. Pinheiro and E. F. Vilela

Plant Chemistry

Cyclosporins from *Tolypocladium terricola* — 403 — A. Jegorov, V. Maťha, P. Sedmera, V. Havlíček, J. Stuchlík, P. Seidel and P. Šimek

Characterization of gum arabic fractions obtained by anion-exchange chromatography	409	M. E. Osman, A. R. Menzies, B. A. Martin, P. A. Williams, G. O. Phillips and T. C. Baldwin
A new hydroxytetradecatrienoic acid and its glyceryl esters from *Valsa ambiens*	419	Y. Jiao, T. Yoshihara, M. Akimoto and A. Ichihara
Iridoid glucosides from *Viburnum tinus*	423	L. Tomassini, M. F. Cometa, S. Foddai and M. Nicoletti
Monoterpene, chromone and coumarin glucosides of *Diplolophium buchananii*	427	J. Lemmich
Sesquiterpene lactones from *Enhydra fluctuans*	433	N. R. Krishnaswamy and N. Ramji
Cytotoxic *ent*-kaurene diterpenoids from three *Isodon* species	437	Han-Dong Sun, Zhong-Wen Lin, Fang-Di Niu, Long-Ze Lin, Hee-Byung Chai, J. M. Pezzuto and G. A. Cordell
2α,3β-Dihydroxy-4(18)-*neo*-cleroden-15-oic acid from *Cistus populifolius*	443	J. G. Urones, I. S. Marcos, P. Basabe, A. Jimenez, A. Gomez and A. M. Lithgow
Cordioside, a clerodane furano diterpene glucoside from *Tinospora cordifolia*	447	V. Wazir, R. Maurya and R. S. Kapil
Diterpenes from *Solidago rugosa*	451	Tiansheng Lu, D. Vargas, S. G. Franzblau and N. H. Fischer
Terpenoids and sterols in *Cladophora vagabunda*	457	I. Elenkov, T. Georgieva, P. Hadjieva, S. Dimitrova-Konaklieva and S. Popov
A *seco*-olean-18-ene triterpene acid from *Vahlia capensis*	461	R. R. T. Majinda, A. I. Gray, R. D. Waigh and P. G. Waterman
Dammarane glycosides from aerial parts of *Neoalsomitra integrifoliola*	465	S. Fujita, R. Kasai, K. Ohtani, K. Yamasaki, Ming-Hua Chiu, Rui-Lin Nie and O. Tanaka
Ecdysteroids from *Vitex canescens*	473	A. Suksamrarn, C. Sommechai, P. Charulpong and B. Chitkul
Bioactive anthraquinone glycosides from *Picramnia antidesma* ssp. *fessonia*	477	P. N. Solis, A. G. Ravelo, A. G. Gonzalez, M. P. Gupta and J. D. Phillipson
Isocoumarins from *Xyris indica*	481	N. Ruangrungsi, T. Sekine, T. Phadungcharoen, S. Suriyagan and I. Murakoshi
Citrans and cyclols from *Clusia multiflora*	485	J. G. Gonzalez, E. M. Olivares and F. Delle Monache
Syntheses of 2,4,6-trihydroxy-, 2,4,6-trihydroxy-5-methyl- and 2,4,5,6-tetrahydroxy-substituted 3-(3-phenylpropionyl)benzaldehydes and their bactericidal activity	491	S. Sato, H. Obara, H. Takeuchi, T. Tawaraya, A. Endo and J.-I. Onodera
Zinnimidine and 5-(3′,3′-dimethylallyloxy)-7-methoxy-6-methylphthalide from *Alternaria porri*	495	R. Suemitsu, K. Ohnishi, Y. Morikawa and S. Nagatomo
Procyanidin trimers possessing a doubly linked structure from *Aesculus hippocastanum*	499	C. Santos-Buelga, H. Kolodziej and D. Treutter
Dodecaacetylprodelphinidin B3 from the dried leaves of *Ziziphus spina-christi*	505	K. Weinges and H. Schick
Bischofianin, a dimeric dehydroellagitannin from *Bischofia javanica*	509	T. Tanaka, G.-I. Nonaka, I. Nishioka, I. Kouno and Feng-Chi Ho

Acylated anthocyanins in *Verbena* flowers 515 K. Toki, N. Saito, H. Kuwano, N. Terahara and T. Honda

Six flavonostilbenes and a flavanone in roots of *Sophora alopecuroides* 519 M. Iinuma, M. Ohyama and T. Tanaka

Three acylated flavone glycosides from *Sideritis syriaca* 527 P. Venturella, A. Bellino and M. L. Marino

Flavonol glycosides from *Sedum telephium* subspecies *maximum* leaves 531 N. Mulinacci, F. F. Vincieri, A. Baldi, M. Bambagiotti-Alberti, A. Sendl and H. Wagner

Isoprenylated flavonols of formosan *Broussonetia papyrifera* 535 Song-Chwan Fang, Bor-Jinn Shieh, Ru-Rong Wu and Chun-Nan Lin

Flavonoids in roots of *Sophora prostrata* 539 M. Iinuma, M. Ohyama and T. Tanaka

Diterpene alkaloids from roots of *Spiraea japonica* 545 Xiao-Jiang Hao, Xin Hong, Xiao-Sheng Yang and Bi-Tao Zhao

Alkaloids from *Narcissus tortuosus* 549 J. Bastida, J. M. Fernández, F. Viladomat, C. Codina and G. de la Fuente

Short Reports

A plant growth inhibitory sesquiterpenoid from *Heterotheca inuloides* 553 I. Kubo, K. Ishiguro, S. K. Chaudhuri, Y. Kubo, Y. Sanchez and T. Ogura

A diterpene xyloside from the resinous exudate of *Haplopappus diplopappus* 555 A. Urzua, E. Tojo and J. Soto

Two C_{10} lactones from *Cephalosporium aphidicola* 557 A. Farooq, J. Gordon, J. R. Hanson and J. A. Takahashi

Book Reviews

Food Phytochemicals for Cancer Prevention, Volume 1, Fruits and Vegetables. Volume 2, Teas, Spices and Herbs: edited by M. T. Huang, T. Osawa, C. P. Ho and R. T. Rosen 559 J. B. Harborne

Vegetables and Vegetable Products: edited by H. F. Linskens and J. F. Jackson 559 J. B. Harborne

Anti-cancer Drugs from Animals, Plants, and Micro-Organisms: by G. R. Pettit, F. H. Pierson and C. L. Herald 560 J. B. Harborne

Number 3

Announcement ix

Growth and Metabolism

8′,8′-Difluoro- and 8′,8′,8′-trifluoroabscisic acids as highly potent, long-lasting analogues of abscisic acid 561 Y. Todoroki, N. Hirai and K. Koshimizu

Jasmonates from pine pollen 569 H.-D. Knöfel and G. Sembdner

Dithiothreitol and cobalt effects on membrane-associated peroxidases oxidizing feruloyl-CoA 573 K. E. Myton and S. C. Fry

Pectic polysaccharides of mesophyll cell walls of perennial ryegrass leaves 579 A. Chesson, A. H. Gordon and L. Scobbie

Lipid composition of microsomes of *Iris germanica* rhizomes 585 J.-P. Bonfils, C. Bonfils, C. Larroque, A. Surjus, D. Gleize and Y. Sauvaire

The structural requirements of flavonols that induce pollen germination of conditionally male fertile *Petunia* 589 T. Vogt, E. Wollenweber and L. P. Taylor

Ecological Biochemistry

Azedarachin C, a limonoid antifeedant from *Melia azedarach* 593 Ruo Chun Huang, H. Okamura, T. Iwagawa, K. Tadera and M. Nakatani

Asteromine, a bioactive secondary metabolite from a strain of *Mycosphaerella asteroma* 595 A. Arnone, G. Assante, M. Montorsi and G. Nasini

Sensitivity of the fungus *Cytospora persoonii* to the flavonoids of *Prunus cerasus* 599 M. Geibel

Biosynthesis

Folylpolyglutamate synthesis in *Neurospora crassa:* transformation of polyglutamate-deficient mutants 603 I. J. Atkinson, F. E. Nargang and E. A. Cossins

5-epi-Aristolochene 3-hydroxylase from green pepper 609 T. Hoshino, T. Yamaura, H. Imaishi, M. Chida, Y. Yoshizawa, K. Higashi, H. Ohkawa and J. Mizutani

Biosynthesis of secoiridoids in *Fontanesia* 615 S. Damtoft, H. Franzyk and S. R. Jensen

Cell Culture and Biotechnology

Intracellular localization of geranylpyrophosphate synthase from cell cultures of *Lithospermum erythrorhizon* 623 S. Sommer, K. Severin, B. Camara and L. Heide

Biotransformation of Δ^2-carene by callus tissues 629 G. Gil, P. Ferreira dos Santos and C. Bullard

Acyl-conjugated metabolites of brassinosteroids in cell suspension cultures of *Ornithopus sativus* 633 A. Kolbe, B. Schneider, A. Porzel, J. Schmidt and G. Adam

Chemotaxonomy

Five 8-*C*-benzylated flavonoids from *Thymus hirtus* (Labiateae) 637 R. Merghem, M. Jay, M.-R. Viricel, C. Bayet and B. Voirin

Plant Chemistry

Reinvestigation of heterocyst glycolipids from the cyanobacterium, *Anabaena cylindrica* 641 A. Soriente, T. Bisogno, A. Gambacorta, I. Romano, C. Sili, A. Trincone and G. Sodano

Metabolites from a shake culture of *Botrytis cinerea* 647 I. G. Collado, R. Hernández-Galán, R. Durán-Patrón and J. M. Cantoral

Sesquiterpenes and a phenolic compound from the liverwort *Omphalanthus filiformis* 651 M. Tori, K. Nakashima and Y. Asakawa

Sesquiterpene lactones from *Centaurea alba* and *C. conifera* 655 I. Fernández, J. R. Pedro and E. Polo

Clerodane diterpenoids from *Tinospora cordifolia* 659 R. Maurya, V. Wazir, A. Tyagi and R. S. Kapil

Labdane diterpenes from *Halimium viscosum* 663 J. G. Urones, I. S. Marcos, I. M. Oliva, N. M. Garrido, J. Hagget and V. M. Humphreys

Taxanes from *Taxus chinensis* 667 Zong Ping Zhang, H. Wiedenfeld and E. Röder

A taxoid from needles of Himalayan *Taxus baccata* 671 B. Das, S. P. Rao, K. V. N. S. Srinivas, J. S. Yadav and R. Das

Glycosides from *Aster yunnanensis* 675 Yu Shao, Bing-Nan Zhou, Jing-Hai Gao, Long-Ze Lin and G. A. Cordell

Pentacyclic triterpenoids from *Lantana camara*	681	B. S. Siddiqui, S. M. Raza, S. Begum, S. Siddiqui and S. Firdous
Triterpenoids and chalcone from *Syzygium samarangense*	687	R. Srivastava, A. K. Shaw and D. K. Kulshreshtha
Secomultiflorane-type triterpenoid acids from stem bark of *Sandoricum koetjape*	691	S. Kosela, Y. Yulizar, Chairul, M. Tori and Y. Asakawa
Triterpenoid saponins from the bark of *Nothopanax davidii*	695	Shi Shan Yu, De Quan Yu and Xiao Tian Liang
(20*R*)-*O*-(3)-α-L-Arabinopyranosyl-pregn-5-en-3β,20-diol from *Brucea javanica*	699	C. Kamperdick, T. V. Sung, T. T. Thuy, M. V. Tri and G. Adam
Belamcandones A–D, dioxotetrahydrodibenzofurans from *Belamcanda chinesis*	703	K. Seki, K. Haga and R. Kaneko
Bibenzyls from *Stemona tuberosa*	711	Weimin Zhao, Guowei Qin, Yang Ye, Rensheng Xu and Xiufang Le
Lignans, biflavones and taxoids from Himalayan *Taxus baccata*	715	B. Das, S. P. Rao, K. V. N. S. Srinivas and J. S. Yadav
Oligomeric proanthocyanidins possessing a doubly linked structure from *Pavetta owariensis*	719	A. M. Balde, T. de Bruyne, L. Pieters, H. Kolodziej, D. Vanden Berghe, M. Claeys and A. Vlietinck
Two xanthones from roots of *Calophyllum inophyllum*	725	M. Iinuma, H. Tosa, T. Tanaka and S. Yonemori
A xanthone *C*-glycoside from *Iris nigricans*	729	A. Al-Khalil, H. Tosa and M. Iinuma
Five resveratrol oligomers from roots of *Sophora leachiana*	733	M. Ohyama, T. Tanaka and M. Iinuma
A phenylethanoid glycoside from *Plantago asiatica*	741	S. Nishibe, Y. Tamayama, M. Sasahara and C. Andary
Flavonoids of dragon's blood from *Dracaena cinnabari*	745	M. Masaoud, H. Ripperger, A. Porzel and G. Adam
Cinnabarone, a biflavonoid from dragon's blood of *Dracaena cinnabari*	751	M. Masaoud, H. Ripperger, U. Himmelreich and G. Adam
Acylated anthocyanins from fruits of *Sambucus canadensis*	755	N. Nakatani, H. Kikuzaki, J. Hikida, M. Ohba, O. Inami and I. Tamura
Isoprenoid-substituted flavonoids from roots of *Glycyrrhiza inflata*	759	T. Fukai and T. Nomura
Four cyclopeptide alkaloids from *Zizyphys lotus*	767	K. Ghedira, R. Chemli, C. Caron, J.-M. Nuzillard, M. Zeches and L. Le Men-Olivier
Capillary gas chromatography-mass spectrometry of Amaryllidaceae alkaloids	773	M. Kreh, R. Matusch and L. Witte
A steroidal alkaloid from *Veratrum oblongum*	777	S. Kadota, Shi Zhong Chen, Jian Xin Li, Guo-Jun Xu and T. Namba
Scutianine-J, a cyclopeptidic alkaloid isolated from *Scutia buxifolia*	783	A. S. Menezes, M. A. Mostardeiro, N. Zanatta and A. F. Morel

Carbazole alkaloid with antimicrobial activity from *Clausena heptaphylla* 787 A. Chakraborty, C. Saha, G. Podder, B. K. Chowdhury and P. Bhattacharyya

Short Reports

Structure of the 5,6-dihydro-α-pyrone, umuravumbolide 791 M. T. Davies-Coleman and D. E. A. Rivett

Minor iridoids from *Thevetia peruviana* 793 F. Abe, T. Yamauchi, S. Yahara and T. Nohara

Sterols and triterpenoids from *Dracaena cinnabari* 795 M. Masaoud, J. Schmidt and G. Adam

Sterols of *Polyneura hilliae* 797 M. Bert, J.-C. Dauguet and J.-J. Bert

Rapisterone D, a phytoecdysteroid from *Rhaponticum carthamoides* 799 U. A. Baltaev

Epoxyconiferyl alcohol from *Fraxinus oxycarpa* bark 801 I. Kostova, D. Dinchev, B. Mikhova and T. Iossifova

A coumarin glycoside from *Lonicera gracilipes* var. *glandulosa* 803 N. Matsuda and M. Kikuchi

Coumarins from stem bark of *Paramignya monophylla* 805 V. Kumar, N. M. Mohamed Niyaz and D. B. Mahinda Wickramaratne

A difuranoflavone from *Epimedium koreanum* 807 Wen-Kui Li, Pei-Gen Xiao and Ru-Yi Zhang

Flavonol glycosides from *Rhodiola crenulata* 809 Mei Du and Jiamin Xie

Number 4

Announcement ix

Growth and Metabolism

Caged plant hormones 811 J. L. Ward and M. H. Beale

Auxin-like activity of 1,2-benzisoxazole-3-alkanoic acids 817 A. Ricci, S. Amorosi, C. A. Maggiali, F. Ronchini, M. Bassi and C. Branca

Biological activity of methyl 7-methyl-jasmonates 821 Y. Koda, J. L. Ward and M. H. Beale

Cross-reaction with the pea lectin of a protein from protein body membranes 825 M. Wenzel, H. Gers-Barlag and H. Rüdiger

Secretion of an esterase from the cultured suspension cells of *Marchantia polymorpha* 831 S. Izumi, Y. Yamamoto and T. Hirata

Inhibition of kainic acid binding to glutamate receptors by extracts of *Gastrodia* 835 M. Andersson, O. Bergendorff, M. Nielsen, O. Sterner, R. Witt, Jinglu Ai, Aiping Lu and An Min Wang

Cell wall neutral sugar composition of chlorococcalean algae forming and not forming acetolysis resistant biopolymer 837 J. Burczyk, K. Termińska-Pabis and B. Śmietana

Ecological Biochemistry

Spirostaphylotrichins U and V from *Curvularia pallescens* 843 W.-R. Abraham, H.-P. Hanssen and H.-A. Arfmann

Asynchronous rhythms in the emission of volatiles from *Hesperis matronalis* flowers 847 J. K. Nielsen, H. B. Jakobsen, P. Friis, K. Hansen, J. Møller and C. E. Olsen

15-Hydroperoxydehydroabietic acid—a contact allergen in colophony from *Pinus* species 853 Li P. Shao, E. Gäfvert, U. Nilsson, A.-T. Karlberg and J. L. G. Nilsson

Cell Culture and Biotechnology

Decarboxylation of L-tyrosine and L-dopa by immobilized cells of *Papaver somniferum* — 859 — I10J. Stano, P. Nemec, K. Weissová, P. Kovács, D. Kákoniová and D. Lisková

Saponins from root cultures of *Phytolacca acinosa* — 861 — A. Strauss, S. M. Spengel and W. Schaffner

Co-occurrence of prenylated xanthones and their cyclization products in cell suspension cultures of *Hypericum patulum* — 867 — K. Ishiguro, M. Nakajima, H. Fukumoto and K. Isoi

Chemotaxonomy

Seed galactomannan in the classification and evolution of the Leguminosae — 871 — M. S. Buckeridge, V. R. Panegassi, D. C. Rocha and S. M. C. Dietrich

Variation in composition of extractives from wood of *Pinus nigra* varieties — 877 — G. Uçar and D. Fengel

Interspecific and intraspecific variation of phenolics in the genus *Equisetum* subgenus *Equisetum* — 881 — M. Veit, C. Beckert, C. Höhne, K. Bauer and H. Geiger

Plant Chemistry

Iridoid glucosides from *Avicennia germinans* — 893 — M.-T. Fauvel, A. Bousquet-Melou, C. Moulis, J. Gleye and S. R. Jensen

Iridoids from *Mentzelia cordifolia* — 895 — S. Catalano, G. Flamini, A. R. Bilia, I. Morelli and M. Nicoletti

Iridoidal glycosides from *Jasminum sambac* — 899 — Ying-Jun Zhang, Yu-Qing Liu, Xiang-Yu Pu and Chong-Ren Yang

Revision of the structure of an aristolane sesquiterpene aldehyde isolated from the root of *Plectranthus hereroensis* and *Aristolochia debilis* — 905 — B. Rodríguez, M. C. de la Torre, F. Simoes, O. Batista, J. Nascimento, A. Duarte and R. Mayer

Phytotoxic sesquiterpenoids from *Canella winterana* — 909 — Bai-Ping Ying, G. Peiser, Yi-Yuan Ji, K. Mathias, D. Tutko and Yih-Shen Hwang

Diterpenoids from *Kyllinga erecta* — 917 — R. Dolmazon, M. Albrand, J.-M. Bessiere, Y. Mahmout, D. Wernerowska and K. Kolodziejczyk

Structures of macrocalyxin B, F, G and H, and maoyerabdosin from *Isodon macrocalyx* — 921 — Wang Xian-Rong, Wang Hong-Ping, Hu Hui-Ping, Sun Han-Dong, Wang Su-Qing, S. Ueda, Y. Kuroda and T. Fujita

Triterpenoid saponins from *Aster batangensis* — 927 — Yu Shao, Bing-Nan Zhou, Long-Ze Lin and G. A. Cordell

Triterpenoid and prenylated phenol glycosides from *Blumea lacera* — 935 — R. Agarwal, R. Singh, I. R. Siddiqui and J. Singh

Cycloartane-type glycosides from *Thalictri herba* — 939 — H. Yoshimitsu, K. Hayashi, M. Kumabe and T. Nohara

Cardenolide glycosides from *Gomphocarpus sinaicus* — 943 — H. El-Askary, J. Hölzl, S. Hilal and E.-S. El-Kashoury

Two steroids from *Calvatia cyathiformis* — 947 — N. Kawahara, S. Sekita and M. Satake

A benzoic acid ester from *Uvaria narum* 951 V. S. Parmar, K. S. Bisht, A. Malhotra, A. Jha, W. Errington, O. W. Howarth, O. D. Tyagi, P. C. Stein, S. Jensen, P. M. Boll and C. E. Olsen

Fully acetylated carbamate and hypotensive thiocarbamate glycosides from *Moringa oleifera* 957 S. Faizi, B. S. Siddiqui, R. Saleem, S. Siddiqui, K. Aftab and A.-u.-h. Gilani

Phenols and a dioxotetrahydrodibenzofuran from seeds of *Iris pallasii* 965 K. Seki, K. Haga and R. Kaneko

Phlorethols, fuhalols and their derivatives from the brown alga *Sargassum spinuligerum* 975 M. Keusgen and K.-W. Glombitza

Fuhalols and deshydroxyfuhalols from the brown alga *Sargassum spinuligerum* 987 K.-W. Glombitza and M. Keusgen

Phenylpropanoid esters from *Lamium album* flowers 997 J. Budzianowski and L. Skrzypczak

Three acyclic *bis*-phenylpropane lignanamides from fruits of *Cannabis sativa* 1003 I. Sakakibara, Y. Ikeya, K. Hayashi, M. Okada and M. Maruno

Schisantherins P and Q, two lignans from *Kadsura coccinea* 1009 Jia-Sen Liu and Liang Li

Flavonolignoids from fruits of *Iryanthera grandis* 1013 D. H. S. Silva, A. J. Cavalheiro, M. Yoshida and O. R. Gottlieb

Coumarins and a flavonoid from *Pterocaulon alopecuroides* 1017 W. Vilegas, N. Boralle, A. Cabrera, A. C. Bernardi, G. L. Pozetti and S. F. Arantes

Biflavonoids from *Daphne odora* 1021 K. Baba, M. Yoshikawa, M. Taniguchi and M. Kozawa

Acylated cyanidin 3-sambubioside-5-glucosides in *Matthiola incana* 1027 N. Saito, F. Tatsuzawa, A. Nishiyama, M. Yokoi, A. Shigihara and T. Honda

An antimicrobial kaempferol-diacyl-rhamnoside from *Pentachondra pumila* 1033 S. J. Bloor

Aporphinoid alkaloids and terpenoids from *Piptostigma fugax* 1037 H. Achenbach and A. Schwinn

(±)-8-Oxohypecorinine from *Hypecoum procumbens* var. *glaucescens* 1049 H.-E. A. Saad

Alkaloids of *Erythroxylum monogynum* root-bark 1053 P. Christen, M. F. Roberts, J. D. Phillipson and W. C. Evans

Alkaloids from *Vinca major* 1057 Atta-Ur-Rahman, A. Sultana, F. Nighat, M. K. Bhatti, S. Kurucu and M. Kartal

Book Reviews

Phytochemical Dictionary of the Leguminosae, Volume 1, Plants and their Constituents; Volume 2, Chemical Constituents: compiled by I. W. Southon, edited by F. A. Bisby, J. Buckingham and J. B. Harborne 1063 E. A. Bell

Analysis of Phenolic Plant Metabolites: by P. G. Waterman and S. Mole 1064 F. A. Tomás-Barberán

Multilingual Dictionary of Agronomic Plants: edited by S. Rehm 1064 J. B. Harborne

Number 5

Review Article Number 99

Errors and artifacts in coupled spectrophotometric assays of enzyme activity 1065 N. J. Kruger

Review Article Number 100
Prenylated isoflavonoids—an update 1073 S. Tahara and R. K. Ibrahim

Growth and Metabolism
Secasterone, the first naturally occurring 2,3-epoxybrassinosteroid from *Secale cereale* 1095 J. Schmidt, B. Spengler, T. Yokota, M. Nakayama, S. Takatsuto, B. Voigt and G. Adam

Inhibition of diamine oxidase and its reversal by a naturally occurring protein 1099 P. Joseph and S. K. Srivastava

Corallina officinalis bromoperoxidase immobilized on agarose 1103 D. J. Sheffield, T. R. Harry, A. J. Smith and L. J. Rogers

β-Galactosidase and its significance in ripening mango fruit 1109 Z. M. Ali, S. Armugam and H. Lazan

Effect of heat stress on ribulose 1,5-bisphosphate carboxylase in rice 1115 A. Bose and B. Ghosh

Expression in *Escherichia coli* and partial characterization of two tyrosine/dopa decarboxylases from opium poppy 1119 P. J. Facchini and V. De Luca

Intracellular localization of UDPG: *p*-hydroxybenzoate glucosyltransferase and its reaction product in *Lithospermum* cell cultures 1127 K. Yazaki, K. Inushima, M. Kataoka and M. Tabata

S-Adenosyl-L-methionine:norcoclaurine 6-*O*-methyltransferase from *Thalictrum minus* cell cultures 1131 M. Hara, K. Yazaki, S. Tanaka and M. Tabata

Comparative study of the inhibition of rat and tobacco squalene synthase by squalestatins 1137 D. C. Fulton, M. Tait and D. R. Threlfall

Glycinebetaine in oilseed rape and flax leaves: detection by liquid chromatography/continuous flow secondary ion-mass spectrometry 1143 G. Selvaraj, R. K. Jain, D. J. Olson, R. Hirji, S. Jana and L. R. Hogge

Anaerobic accumulation of 4-aminobutyrate in rice seedlings; causes and significance 1147 N. Aurisano, A. Bertani and R. Reggiani

Developmental changes in the phenol concentrations of '*Golden Delicious*' apple fruits and leaves 1151 U. Mayr, D. Treutter, C. Santos-Buelga, H. Bauer and W. Feucht

Ecological Biochemistry
Phytotoxins from shoot extracts and root exudates of *Agropyron repens* seedlings 1157 A. Friebe, M. Schulz, P. Kück and H. Schnabl

Sesquiterpenes of *Lactarius* origin, antifeedant structure–activity relationships 1161 W. M. Daniewski, M. Gumułka, D. Przesmycka, K. Ptaszyńska, E. Błoszyk and B. Drożdż

Antimicrobial stress compounds from *Hypochoeris radicata* 1169 Y. Maruta, Y. Fukushi, K. Ohkawa, Y. Nakanishi, S. Tahara and J. Mizutani

Changes in the chemical composition of volatiles released by the flowers and fruits of the red raspberry (*Rubus idaeus*) cultivar Glen Prosen 1175 G. W. Robertson, D. W. Griffiths, J. A. T. Woodford and A. N. E. Birch

A comparative study of the cardenolide content of different organs of *Gomphocarpus sinaicus* 1181 H. El-Askary, J. Hölzl, S. Hilal and El-Sayeda El-Kashoury

Abiotic elicitation of coumarin phytoalexins in sunflower 1185 M.-C. Gutierrez, A. Parry, M. Tena, J. Jorrin and R. Edwards

Biosynthesis
Thiophene interconversions in *Tagetes patula* hairy-root cultures 1193 R. R. J. Arroo, J. J. M. R. Jacobs, E. A. H. de Koning, M. de Waard, E. van de Westerlo, P. M. van Galen, A. E. M. Swolfs, A. J. H. Klunder, A. F. Croes and G. J. Wullems

Cell Culture and Biotechnology

Cycasin formation in tissue cultures of Japanese cycad 1199 K. Tadera, H. Gin'ya, R. Sawada, Y. Motani, Y. Aikawa, A. Nozaki, F. Yagi and Y. Minami

Triterpenoids from callus tissue cultures of *Paeonia* species 1203 A. Ikuta, K. Kamiya, T. Satake and Y. Saiki

Chemotaxonomy

Lipids from macrophytes of the Middle Volga 1209 O. A. Rozentsvet, N. M. Dembitsky and V. S. Zhuicova

Phomaligin A and other yellow pigments in *Phoma lingam* and *P. wasabiae* 1215 M. S. C. Pedras, J. L. Taylor and V. M. Morales

Flavonoid profiles of New Zealand kauri and other species of *Agathis* 1223 D. J. Ofman, K. R. Markham, C. Vilain and B. P. J. Molloy

Plant Chemistry

Pterins of the cyanobacterium *Aphanizomenon flos-aquae* 1229 M. Ikawa, J. J. Sasner, J. F. Haney and T. L. Foxall

Diastereoselective syntheses of 2-β-D-glucopyranosyloxy-2*H*-1,4-benzoxazin-3(4*H*)-ones from Gramineae 1233 H. Hartenstein, C. Vogt, I. Förtsch and D. Sicker

Preparation of polyoxygenated *ent*-13-*epi*-manoyl oxides by chemical–microbiological semisyntheses 1237 A. García-Granados, E. Liñán, A. Martínez, F. Rivas and J. M. Arias

Phenolic glycosides from *Adonis aleppica* 1245 G. F. Pauli and P. Junior

Sesquiterpene lactones and a seco-caryophyllene derivative from *Montanoa karwinskii* 1251 L. Quijano, A. Vasquez-C. and T. Ríos

Sesquiterpene dilactones from *Mikania ypacarayensis* 1257 G. Zamorano, C. A. N. Catalán, J. G. Díaz and W. Herz

Sesquiterpene lactones from *Tanacetum praeteritum* 1261 N. Gören

Germacrolides from *Perymenium berlandieri* 1265 E. Maldonado, C. Mancera, G. Fiallega and A. Ortega

Minor cleisthantane and tetranorfriedolabdane from *Vellozia flavicans* 1269 A. C. Pinto, O. A. C. Antunes, C. M. Rezende and C. R. D. Correia

Triterpene from *Limnophila heterophylla* 1273 K. S. Mukherjee, G. Brahmachari and T. K. Manna

Terpenoids, alkaloids and coumarins from *Boronia inornata* and *Boronia gracilipes* 1275 M. Ahsan, J. A. Armstrong, A. I. Gray and P. G. Waterman

Steroidal saponins from the bulbs of *Triteleia lactea* and their inhibitory activity on cyclic AMP phosphodiesterase 1279 Y. Mimaki, O. Nakamura, Y. Sashida, T. Nikaido and T. Ohmoto

Saponins from *Albizia lebbeck* 1287 B. C. Pal, B. Achari, K. Yoshikawa and S. Arihara

Seven acylated anthocyanins in the blue flowers of *Hyacinthus orientalis* 1293 K. Hosokawa, Y. Fukunaga, E. Fukushi and J. Kawabata

A flavone from leaves of *Arrabidaea chica* f. *cuprea* 1299 O. S. Takemura, M. Iinuma, H. Tosa, O. G. Miguel, E. A. Moreira and Y. Nozawa

Flavonoid *O*-glycosides from the leaves of *Morinda morindoides* 1301 K. Cimanga, T. De Bruyne, A. Lasure, Qimin Li, L. Pieters, M. Claeys, D. Vanden Berghe, K. Kambu, L. Tona and A. Vlietinck

Santoflavone, a 5-deoxyflavonoid from *Achillea santolina* 1305 V. U. Ahmad, M. A. Khan, F. T. Baqai and R. B. Tareen

Prenylated isoflavonoids from *Erythrina senegalensis* 1309 J. Wandji, S. S. Awanchiri, Z. T. Fomum, F. Tillequin and S. Michel-Daniwicz

Direct analysis of aromatic diene *Erythrina* alkaloids by capillary GC-MS 1315 P. G. Mantle

Book Review
Medicinal and Aromatic Plants, Volume VI: edited by Y. P. S. Bajaj 1317 J. B. Harborne

Number 6

Review Article Number 101
A matter of some sensitivity 1319 J. D. Phillipson

Growth and Metabolism
3-epi-GA_{63}, antheridiogen in *Anemia phyllitidis* 1345 T. Yamauchi, N. Oyama, H. Yamane, N. Murofushi, H. Schraudolf, D. Owen and L. N. Mander

Non-induced cyclic hydroxamic acids in wheat during juvenile stage of growth 1349 E. Nakagawa, T. Amano, N. Hirai and H. Iwamura

Carbohydrate associated with broad bean polyphenol oxidase is resistant to enzymatic and chemical deglycosylation 1355 G. Raffert and W. H. Flurkey

Separation and identification of lime cutin monomers by high performance liquid chromatography and mass spectrometry 1361 A. K. Ray, Yong Y. Lin, H. C. Gerard, Zhen-jia Chen, S. F. Osman, W. F. Fett, R. A. Moreau and R. E. Stark

Ecological Biochemistry
Tuliposides from *Alstroemeria revoluta* 1371 L. P. Christensen

Volatile compounds of green microalgae grown on reused waste water 1375 A. Rzama, A. Benharref, B. Arreguy and E. J. Dufourc

Biosynthesis
Stimulation of caffeine biosynthesis in suspension-cultured coffee cells and the *in situ* existence of 7-methylxanthosine 1381 B. H. Schulthess and T. W. Baumann

S-Adenosyl-L-methionine: (*S*)-coclaurine-*N*-methyltransferase from *Tinospora cordifolia* 1387 S. Loeffler, B. Deus-Neumann and M. H. Zenk

Cell Culture
Extracellular polysaccharides from suspension cultures of *Nicotiana plumbaginifolia* 1397 I. M. Sims and A. Bacic

Two triglycosidic triterpene astragalosides from hairy root cultures of *Astragalus membranaceus* 1407 Y. Zhou, M. Hirotani, H. Rui and T. Furuya

Chemotaxonomy
Uncommon 16:1 (n-5) acid from *Dictyota dichotoma* and fatty acids of some brown algae of dictyotaceae 1411 S. V. Khotimchenko

Dorema aucheri, the first umbelliferous plant found to produce exudate flavonoids 1417 E. Wollenweber, M. Dörr and A. Rustiyan

Plant Chemistry
Spiro-lactones, hyperolactone A–D from *Hypericum chinense* 1419 Y. Aramaki, K. Chiba and M. Tada

Annoglaucin, an acetogenin from *Annona glauca* 1423 S. Etcheverry, S. Sahpaz, D. Fall, A. Laurens and A. Cavé

5,6-Dihydro-α-pyrones and two bicyclic tetrahydro-α-pyrone derivatives from *Cryptocarya latifolia* 1427 S. E. Drewes, B. M. Sehlapelo, M. M. Horn, R. Scott-Shaw and P. Sandor

Alangionosides C–F, megastigmane glycosides from *Alangium premnifolium*	1431	H. Otsuka, K. Kamada, M. Yao, K. Yuasa, I. Kida and Y. Takeda
Longipinane derivatives from *Stevia viscida*	1437	L. U. Román, G. Morán, J. D. Hernández, C. M. Cerda-García-Rojas and P. Joseph-Nathan
Germacranolides of *Mikania cordata*	1441	A. M. Aguinaldo, F. Abe, T. Yamauchi and W. G. Padolina
Diterpenoids from *Euphorbia micractina*	1445	Jian-Gong Shi and Zhong-Jian Jia
A diterpene from *Bidens pilosa*	1449	Ma. C. A. Zulueta, M. Tada and C. Y. Ragasa
Diterpenoids from *Isodon eriocalyx* var. *laxiflora*	1451	Han-Dong Sun, Zhong-Wen Lin, Fang-Di Niu, Pei-Qing Shen, Lu-Tai Pan, Long-Ze Lin and G. A. Cordell
Four diterpene esters from *Euphorbia myrsinites*	1457	S. Öksüz, F. Gürek, R. R. Gil, T. Pengsuparp, J. M. Pezzuto and G. A. Cordell
Polyandrol, a C_{19} quassinoid from *Castela polyandra*	1463	P. A. Grieco, J. M. Vander Roest, M. M. Piñeiro-Nuñez, E. E. Campaigne and M. Carmack
21α-Hydroxy-3β-methoxyserrat-14-en-30-al and other triterpenoids from the cuticle of *Picea jezoensis*	1467	R. Tanaka, H. Senba, T. Minematsu, O. Muraoka and S. Matsunaga
Triterpenoid saponins from *Clematis chinensis*	1473	Baoping Shao, Guowei Qin, Rensheng Xu, Houming Wu and Kan Ma
Isolation of triterpene saponins from *Gypsophila capillaris*	1481	M. H. A. Elgamal, H. S. M. Soliman, M. S. Karawya, B. Mikhova and H. Duddeck
Triterpene saponins from *Aster yunnanensis*	1487	Yu Shao, Bing-Nan Zhou, Long-Ze Lin and G. A. Cordell
A bidesmosidic triterpene saponin from *Cephalaria transsylvanica*	1493	Ö. Alankuş-Çalışkan and H. Anil
A ferulic acid ester of sucrose and other constituents of *Bhesa paniculata*	1497	L. J. Harrison, G. L. Sia, K.-Y. Sim, H. T.-W. Tan, J. D. Connolly, C. Lavaud and G. Massiot
An oligostilbene from *Vitis* roots	1501	S. Korhammer, F. Reniero and F. Mattivi
Iso-ocobullenone and a neolignan ketone from *Ocotea bullata* bark	1505	S. E. Drewes, M. M. Horn, B. M. Sehlapelo, N. Ramesar, J. S. Field, R. Scott-Shaw and P. Sandor
Acylated pelargonidin 3,7-glycosides from pink flowers of *senecio cruentus*	1509	K. Toki, N. Saito, H. Kuwano, A. Shigihara and T. Honda
Malvidin 3-(6-acetylglucoside)-5-glucoside and other anthocyanins from flowers of *Geranium sylvaticum*	1513	Ø. M. Andersen, R. I. Viksund and A. T. Pedersen
A persicogenin 3′-glucoside from the stem bark of *Prunus amygdalus*	1519	M. S. M. Rawat, G. Pant, R. Kukreti, J. Sakakibara and A. Nagatsu
Minor xanthones from the bark of *Cratoxylum cochinchinense*	1521	G.-L. Sia, G. J. Bennett, L. J. Harrison and K.-Y. Sim

Kukoamine B, a spermine alkaloid from *Lycium chinense*	1529	S. Funayama, G.-R. Zhang and S. Nozoe
O-Methyloduline and *N*-demethylmasonine, alkaloids from *Narcissus pseudonarcissus*	1533	M. Kreh and R. Matusch
Alkaloids and other compounds from *Psychotria correae*	1537	H. Achenbach, M. Lottes, R. Waibel, G. A. Karikas, M. D. Correa A. and M. P. Gupta
Two steroidal alkaloids from *Veratrum viride*	1547	K. A. El Sayed, J. D. McChesney, A. F. Halim, A. M. Zaghloul and M. Voehler
Book Reviews		
Seeds: Physiology of Development and Germination: by J. D. Bewley and M. Black	1551	J. D. Ross
Handbook of Natural Products Data, Vol. 2, Pentacyclic Triterpenoids: edited by V. U. Ahmad and Atta-ur-Rahman	1551	J. B. Harborne
Genetic Engineering of Plant Secondary Metabolism: edited by B. E. Ellis, G. W. Kuroki and H. A. Stafford	1552	G. P. Bolwell
Monoterpene Indole Alkaloids: edited by J. E. Saxton	1552	J. D. Phillipson
Errata and corrigenda	1555	

PHYTOCHEMISTRY

AIMS AND SCOPE

Phytochemistry is the international journal of plant biochemistry, published 18 times per annum by Elsevier Science. It is the official organ of 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America'. It is intended to cover research on all aspects of pure and applied plant biochemistry, especially that which leads to a deeper understanding of the factors underlying the growth, development and metabolism of plants and the chemistry of plant constituents. The journal is currently divided into eight sections, as indicated below, but papers which cut across these sections or which are on any other aspect of plant biochemistry will also be considered.

Review articles are published at regular intervals and they cover almost every aspect of the subject from primary metabolism and regulation of plant growth through plant enzymology to natural product chemistry. They deal with significant new areas of research and are intended to command the interest of the general reader. Authors should consult the editors before preparing such articles, by submitting an outline of their proposed review.

The *Growth and Metabolism* section contains papers on: plant molecular biology, nucleic acids, proteins, recognition molecules; photosynthesis, carbohydrate, lipid and nitrogen metabolism; plant membranes, cell walls, growth hormones and their structure–activity relationships; all aspects of plant enzymology, including the description of new enzymes; and the general biochemistry of plant growth from seed germination, leaf development, flowering and fruiting to seed ripening.

The *Ecological Biochemistry* section contains papers on: biochemical adaptations in plants to environmental stress; pollination biochemistry; plant toxins and their effects on animals, phytoecdysones, antifeedants; herbivory, plant defence and insect feeding preferences; utilization of plant substances by animals; and all aspects of biochemical plant pathology, including the production of phytotoxins and phytoalexin elicitation.

The *Biosynthesis* section principally contains papers on the biosynthesis of secondary plant constituents in both microbial systems and in higher plants. It may also include papers on the genetic control of biosynthesis, on biosynthetic inter-relationships and on the methodology of biosynthesis.

The *Cell Culture and Biotechnology* section is devoted to biochemical aspects of plant cell and tissue culture, and especially to the accumulation, production, biosynthesis, turnover and enzymology of secondary constituents. Papers on plant biotechnology are also welcomed, e.g. those concerned with biomass production, the utilization of plant products as alternative fuel sources, etc.

The *Chemotaxonomy* section contains papers on the comparative biochemistry of plants. These may range from distributional studies on low molecular weight compounds in a group of fungi, algae or higher plants to the amino acid sequencing of seed lectins. Papers on infraspecific chemical variation are also included here.

The *Plant Chemistry* section is arranged in an ordered sequence and contains papers on: growth substances, macromolecules, primary metabolites, terpenoids, polyketides, phenylpropanoids, flavonoids, alkaloids and compounds of mixed biosynthetic origin. Authors investigating the chemistry of a given plant species should aim to publish their results in a single manuscript rather than in a series of papers, describing each new compound as it is found. The structural analysis of new plant substances is now so routine that papers reporting a single novel compound of expectable structure (e.g. a new triterpene fatty acid ester) are rarely acceptable, unless other novel information on the plant is included.

The *Short Reports* section contains concise papers representing significant contributions to scientific knowledge which can be adequately included in up to two printed pages (i.e. 6–8 pages of mss.). They need to be as fully documented and as accurate as full papers and are presented in the same style. Reports of known compounds, however rare, from new plant sources will not generally be accepted *unless* they have real chemotaxonomic or other chemical and biological significance.

Book Reviews are published regularly and the editor-in-chief welcomes the submission to the Reading office of new books for review. Symposia and Society announcements will be published, at the discretion of the editors. Preliminary communications and letters to the editor will not, however, be considered.

Authors should consult the latest Instructions list (see *Phytochemistry* Vol. 35, No. 1, pp. 1–6, 1994) before preparing their manuscripts. All contributions must be in English and should be submitted to either the *Editor-in-Chief*, Prof. J. B. Harborne, Plant Science Laboratories, The University, Reading, RG6 2AS, U.K., telephone (U.K.) +44 (01)734 318160, fax (U.K.) +44 (01)734 753676, or to the *Associate Editor (North America)*, Prof. N. G. Lewis, Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A., telephone (U.S.A.) +1 509 335 3412, fax (U.S.A.) +1 509 335 7643.

Receive Regular News of Elsevier 's Publications

Elsevier Science mails information on new and existing publications regularly.
If you would like to be added to the mailing list please send us your name and full mailing address, indicating your fields of interest:

ENGINEERING
Energy Sources & Technology, Civil & Structural Engineering,
Mechanical Engineering, Electrical & Electronic Engineering,
Systems & Control Engineering, Aeronautical & Aerospace Technology,
Materials Technology, Chemical Engineering

LIFE SCIENCES & MEDICINE
Biological Sciences (including biochemistry & molecular biology), Agriculture,
Veterinary Medicine, Immunology, Cancer Research, Pharmacology,
Neuroscience, Vision Science, Clinical Medicine

PHYSICAL SCIENCES
Computer Science, Physics, Chemistry, Mathematics, Earth Science,
Environmental Science, Materials Science, Space & Planetary Sciences

SOCIAL SCIENCE & HUMANITIES
Sociology, Women's Studies, Psychology, Education,
Political Science, Geography, Economics, Management & Business, Linguistics,
Information Science, Librarianship

Elsevier Science Ltd
The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK

Elsevier Science Inc.
660 White Plains Road, Tarrytown, NY 10591-5153, USA

COR017/P4

Did you know that if you are a contributor to any Elsevier Science Book or Journal you are entitled to

30%

Discount on all

our Books*?

Elsevier

Pergamon

North Holland

Excerpta Medica

*(except multi-volume reference works)

Contact your nearest Elsevier Science office in order to obtain a subject catalogue

Elsevier Science Ltd, The Boulevard, Langford Lane,
Kidlington, Oxford, OX5 1GB, UK
Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA

cor017/p8

• BACK ISSUES OF • THIS JOURNAL

Back issues of this and all other Elsevier Science journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Elsevier Science maintains stocks of back issues and orders may be placed with confidence at your nearest Elsevier Science office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

SAVE UP TO 25% BY PURCHASING COMPLETE SETS
Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

MICROFORM EDITIONS
Back issues in microform of Elsevier Science research journals are also available. For further information please apply to your nearest Elsevier Science office.

BACK ISSUES PRICE LIST
Full details of the rates of back issues of all Elsevier Science journals can be found in our Back Issues Price List. Please contact your nearest Elsevier Science office for a copy.

Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK
Telephone: +44 (0) 1865 843699 • Fax: +44 (0) 1865 843911
Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA
Telephone: +1 914 524 9200 • Fax: +1 914 333 2444

COR017/p2

Printed in England by BPC Wheatons Ltd, Exeter